Listing of the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (previously presented) A system for forecasting weather-based demand, comprising:

a recombination processor wherein:

said recombination processor is configured to receive weather metrics data;

said recombination processor is configured to receive weather factor relationship data from a weather factor relationship database, wherein the weather factor relationship data from the weather factor relationship database is different from the weather metrics data; and

said recombination processor is configured to produce normalized weather factor metrics data based on the weather metrics data and the weather factor relationship data from the weather factor relationship database, the normalized weather factor metrics data being indicative of a percentage increase or decrease in a demand relationship value in a first time period over a second time period.

- 2. (previously presented) The system of claim 1, wherein said weather factor relationship database is a weather-impact model.
- 3. (previously presented) The system of claim 2, wherein said weather-impact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 4. (previously presented) The system of claim 2, wherein said weather-impact model is derived from an analysis of normalized proxy sales history data.
- 5. (previously presented) The system of claim 4, wherein said normalized proxy sales history data are derived from at least one of previously stored sales history data for a product from an entity, sales history data for said product from a second entity, sales history data for said product from a source external to the system, sales history data for a category that includes said product, and sales history data for a proxy product, the proxy product having a similar weather-based demand relationship as said product.

6. *(previously presented)* The system of claim 1, further comprising a volatility scaling processor wherein:

said volatility scaling processor is different from said recombination processor; said volatility scaling processor is configured to receive said normalized weather factor metric data;

said volatility scaling processor is configured to receive volatility scale factor data; and

said volatility scaling processor is configured to produce scaled weather factor metric data.

7. (previously presented) The system of claim 6, further comprising a deaggregation processor wherein:

said deaggregation processor is configured to receive said scaled weather factor metric data;

said deaggregation processor is configured to receive deaggregation data; and said deaggregation processor is configured to produce deaggregated weather factor metric data.

8. (previously presented) The system of claim 1, further comprising a deaggregation processor wherein:

said deaggregation processor is different from said recombination processor;

said deaggregation processor is configured to receive said normalized weather factor metric data;

said deaggregation processor is configured to receive deaggregation data; and said deaggregation processor is configured to produce deaggregated weather factor metric data.

9. (previously presented) A method for forecasting weather-based demand, comprising:

receiving, by a processor, weather metrics data;

receiving, by the processor, weather factor relationship data from a weather factor relationship database, wherein the weather factor relationship database is different from the weather metric data; and

forecasting, by the processor, the weather-based demand by using normalized weather factor metrics data based on the weather metrics data and the weather factor relationship data from the weather factor relationship database, the normalized weather factor metrics data being indicative of a percentage increase or decrease in a demand relationship value in a first time period over a second time period.

- 10. *(previously presented)* The method of claim 9, wherein the weather factor relationship database is a weather-impact model.
- 11. (previously presented) The method of claim 10, wherein the weather-impact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 12. (previously presented) The method of claim 10, wherein the weather-impact model is derived from an analysis of normalized proxy sales history data.
 - 13. *(previously presented)* The method of claim 9, further comprising: scaling the weather-based demand.
 - 14. *(previously presented)* The method of claim 9, further comprising: deaggregating the weather-based demand.
- 15. (previously presented) A computer program product for forecasting weather-based demand, said computer program product having computer program code means stored on a non-transitory storage medium, said computer program code means comprising:
- a first program code means for causing a processor to receive weather metrics data;
- a second program code means for causing the processor to receive weather factor relationship data from a weather factor relationship database, wherein the weather factor relationship database is different from the weather metric data; and
- a third program code means for causing the processor to forecast the weather-based demand by using normalized weather factor metrics data based on the weather metrics data and the weather factor relationship data from the weather factor relationship database, the normalized weather factor metrics data being indicative of a percentage increase or decrease in <u>a</u> demand relationship value in a first time period over a second time period.

- 16. (previously presented) The computer program product of claim 15, wherein the weather factor relationship database is a weather-impact model.
- 17. (previously presented) The computer program product of claim 16, wherein the weather-impact model comprises at least one of an empirical scoring matrix, a weather indices template, and a proxy model conditions template.
- 18. (previously presented) The computer program product of claim 16, wherein the weather-impact model is derived from an analysis of normalized proxy sales history data.
- 19. *(previously presented)* The computer program product of claim 15, further comprising:
- a fourth program code means for causing the processor to scale the weather-based demand.
- 20. (previously presented) The computer program product of claim 15, further comprising:
- a fourth program code means for causing the processor to deaggregate the weather-based demand.
- 21. (previously presented) A non-transitory storage medium having instructions stored thereon, the instructions comprising:

instructions for receiving weather metrics data;

instructions for receiving weather factor relationship data from a weather factor relationship database; and

instructions for forecasting weather-based demand by using normalized weather factor metrics data based on the weather metrics data and the weather factor relationship data from the weather factor relationship database, the normalized weather factor metrics data being indicative of a percentage increase or decrease in a demand relationship value in a first time period over a second time period.